



vko 35/1

Laatu	Koko	Määrä /mm	Kilot	Muuta
18CrNiMo	130	284	29,59	
18CrNiMo	140	293	35	
18CrNiMo	140	240	29	
18CrNiMo	140	270	32,63	
18CrNiMo	140	370	44,71	
18CrNiMo	140	285	34,44	
18CrNiMo	150	390	54,1	
18CrNiMo	150	355	49,24	
18CrNiMo	150	415	57,57	
18CrNiMo	150	211	30	
18CrNiMo	150	245	33,98	
18CrNiMo	150	350	48,55	
18CrNiMo	150	342	47,44	
18CrNiMo	150	185	25,66	
18CrNiMo	160	277	43,72	
18CrNiMo	170	260	46,32	
18CrNiMo	170	322	57,37	
18CrNiMo	170	187	33,32	
18CrNiMo	170	165	29,4	
18CrNiMo	170	172	30,64	
18CrNiMo	170	260	46,32	
18CrNiMo	170	195	34,74	
18CrNiMo	170	283	50,42	
18CrNiMo	170	255	45,43	
18CrNiMo	170	315	56,12	
18CrNiMo	170	288	51,31	
18CrNiMo	180	190	37,95	
18CrNiMo	180	350	69,91	
18CrNiMo	190	185	41,17	
18CrNiMo	200	265	65,35	
18CrNiMo	200	170	41,92	
18CrNiMo	200	360	88,78	
18CrNiMo	200	160	39,46	
18CrNiMo	200	172	42,42	
18CrNiMo	200	150	36,99	
18CrNiMo	200	140	34,52	
18CrNiMo	210	245	66,61	
18CrNiMo	210	95	387,42	15 kpl,yht.paino
18CrNiMo	220	185	55,2	
18CrNiMo	220	125	37,3	

Laatu	Koko	Määrä /mm	Kilot	Muuta
18CrNiMo	230	217	70,77	
18CrNiMo	230	238	77,62	
18CrNiMo	240	191	67,82	
18CrNiMo	240	241	85	
18CrNiMo	240	68	24,14	
18CrNiMo	250	350	134,86	
18CrNiMo	250	330	127,15	
18CrNiMo	260	140	58,34	
18CrNiMo	270	280	125,84	
18CrNiMo	270	195	87,64	
18CrNiMo	270	135	60,67	
18CrNiMo	280	190	91,83	
18CrNiMo	280	299	145	
18CrNiMo	280	105	50,75	
18CrNiMo	280	155	74,92	
18CrNiMo	300	114	63,25	
18CrNiMo	310	100	59,25	
18CrNiMo	310	110	65,17	
18CrNiMo	310	160	94,79	
18CrNiMo	310	140	82,94	
18CrNiMo	320	210	132	
18CrNiMo	320	145	91,54	
18CrNiMo	320	170	107,32	
18CrNiMo	320	143	90,27	
18CrNiMo	320	95	479,78	8 kpl,yht.paino
18CrNiMo	330	98	65,79	
18CrNiMo	330	150	100,71	
18CrNiMo	330	170	114,13	
18CrNiMo	340	105	74,83	
18CrNiMo	340	100	356,34	5KPL YHT. PAI
18CrNiMo	360	102	81,49	
18CrNiMo	360	105	82	
18CrNiMo	360	114	91	
18CrNiMo	370	210	177,23	
18CrNiMo	370	204	172,17	
18CrNiMo	390	170	159,41	
18CrNiMo	400	48	47,34	
18CrNiMo	400	105	103,57	
18CrNiMo	400	110	108,5	
18CrNiMo	400	145	143,03	

Laatu	Koko	Määrä /mm	Kilot	Muuta
18CrNiMo	400	209	206,15	
18CrNiMo	400	210	206,5	
18CrNiMo	400	219	216	
18CrNiMo	400	170	167,69	
18CrNiMo	400	205	202,21	
18CrNiMo	410	98	101,56	
18CrNiMo	425	100	111,35	
18CrNiMo	425	200	222,71	
18CrNiMo	425	120	1336,26	10 kpl, yht.paino
18CrNiMo	450	170	212,23	
18CrNiMo	450	470	586,75	
18CrNiMo	450	245	305,86	
18CrNiMo	450	145	181	
18CrNiMo	450	195	243,44	
18CrNiMo	450	120	149,81	
18CrNiMo	475	115	159,96	
18CrNiMo	475	130	264,28	
18CrNiMo	500	95	146,42	
18CrNiMo	500	125	192,66	
18CrNiMo	500	135	208,07	
18CrNiMo	500	90	138,71	
18CrNiMo	500	128	197,28	
18CrNiMo	500	65	100,18	
18CrNiMo	500	82	1263,83	10 kpl,yht.paino
18CrNiMo	500	82	126,38	2 kpl,yht.paino
18CrNiMo	500	82	379,15	3 kpl,yht.paino
18CrNiMo	500	82	631,91	5 kpl,yht.paino
18CrNiMo	500	192	295,92	
18CrNiMo	525	100	169,92	
18CrNiMo	525	105	178,41	
18CrNiMo	525	105	178,41	
18CrNiMo	525	105	178,41	
18CrNiMo	525	111	187	
34CrNiMo	210	190	51,65	
34CrNiMo	210	202	54,91	
34CrNiMo	210	150	40,78	
34CrNiMo	210	120	32,62	
34CrNiMo	210	192	52,2	
34CrNiMo	210	200	54,37	
34CrNiMo	240	369	131	
42CrMo	100	320	19,72	
42CrMo	100	230	14,17	
42CrMo	100	327	20,15	
42CrMo	100	345	21,26	
42CrMo	100	366	22,56	

Laatu	Koko	Määrä /mm	Kilot	Muuta
42CrMo	100	270	245,5	n. 14 kpl, yht.paino
42CrMo	100	280		
42CrMo	100	205	12,63	
42CrMo	100	295	18,18	
42CrMo	100	285	17	
42CrMo	100	290	18	
42CrMo	100	275	17	
42CrMo	100	330	20	
42CrMo	115	300	24,45	
42CrMo	115	300	24,45	
42CrMo	115	380	30,98	
42CrMo	115	280	22,82	
42CrMo	115	180	14,67	
42CrMo	115	270	22	
42CrMo	120	385	34,18	
42CrMo	120	350	31,07	
42CrMo	120	395	35,07	
42CrMo	120	295	26,19	
42CrMo	120	275	24,41	
42CrMo	120	330	29,3	
42CrMo	125	215	12,04	
42CrMo	130	170	17,71	
42CrMo	130	190	19,8	
42CrMo	130	195	20,32	
42CrMo	130	380	39,59	
42CrMo	130	193	20,1	
42CrMo	130	260	27	
42CrMo	140	305	36,85	
42CrMo	140	190	22,96	
42CrMo	140	305	36,85	
42CrMo	140	287	34,67	
42CrMo	140	395	47,72	
42CrMo	140	270	32,62	
42CrMo	140	315	38,06	
42CrMo	140	359	43,37	
42CrMo	140	240	29	
42CrMo	140	240	29	
42CrMo	140	240	29	
42CrMo	140	290	35,04	
42CrMo	140	326	39,39	
42CrMo	140	207	25,01	
42CrMo	155	265	39,25	
42CrMo	160	375	59,18	
42CrMo	160	173	27,3	
42CrMo	170	370	65,92	
42CrMo	170	110	19,6	

Laatu	Koko	Määrä /mm	Kilot	Muuta
42CrMo	170	180	32,07	
42CrMo	180	340	67,91	
42CrMo	180	177	35,35	
42CrMo	180	338	67,5	
42CrMo	190	130	289,32	10 kpl,yht.paino
42CrMo	200	82	20,22	
42CrMo	200	90	22,19	
42CrMo	200	90	22,19	
42CrMo	200	92	22,68	
42CrMo	200	98	24,16	
42CrMo	200	105	25,89	
42CrMo	200	110	27,12	
42CrMo	200	110	27,12	
42CrMo	200	110	27,12	
42CrMo	200	110	27,12	
42CrMo	200	110	27,12	
42CrMo	200	116	28,06	
42CrMo	200	117	28,85	
42CrMo	200	119	29,34	
42CrMo	200	119	29,34	
42CrMo	200	120	29,59	
42CrMo	200	120	29,59	
42CrMo	200	122	30	
42CrMo	200	125	30,82	
42CrMo	200	125	30,82	
42CrMo	200	128	31,56	
42CrMo	200	130	32,06	
42CrMo	200	132	32,55	
42CrMo	200	134	33,04	
42CrMo	200	135	33,29	
42CrMo	200	135	33,29	
42CrMo	200	136	33,53	
42CrMo	200	137	33,78	
42CrMo	200	137	41,18	
42CrMo	200	140	34,52	
42CrMo	200	140	34,52	
42CrMo	200	144	35,51	
42CrMo	200	144	35,51	
42CrMo	200	145	35,76	
42CrMo	200	145	35,75	
42CrMo	200	145	35,75	
42CrMo	200	150	36,99	
42CrMo	200	155	38,23	
42CrMo	200	160	39,45	
42CrMo	200	165	41	
42CrMo	200	166	40,93	
42CrMo	200	180	44,38	
42CrMo	200	185	46	
42CrMo	200	190	46,85	
42CrMo	200	192	47,32	
42CrMo	200	205	50,55	

Laatu	Koko	Määrä /mm	Kilot	Muuta
42CrMo	200	230	56,7	
42CrMo	200	235	57,95	
42CrMo	200	235	57,95	
42CrMo	200	235	57,95	
42CrMo	200	240	59,18	
42CrMo	200	247	60,91	
42CrMo	200	265	65,34	
42CrMo	200	265	65,34	
42CrMo	200	190	46,85	
42CrMo	210	115	31,27	
42CrMo	210	145	39,42	
42CrMo	210	190	51,66	
42CrMo	220	390	116,37	
42CrMo	220	247	60,91	
42CrMo	240	155	55,04	
42CrMo	240	170	60,37	
42CrMo	240	165	58,59	
42CrMo	240	150	53,27	
42CrMo	240	119	42,26	
42CrMo	240	130	46,16	
42CrMo	240	198	70,31	
42CrMo	240	130	275,56	
42CrMo	240	202	71,73	
42CrMo	250	210	80,92	
42CrMo	250	150	57,79	
42CrMo	250	328	126	
42CrMo	250	160	61,65	
42CrMo	250	390	150,27	
42CrMo	250	145	67,42	
42CrMo	250	155	59,72	
42CrMo	260	113	47,09	
42CrMo	260	325	135,44	
42CrMo	260	110	45,84	
42CrMo	260	132	55	
42CrMo	260	185	77	
42CrMo	270	235	105,61	
42CrMo	270	205	92,13	
42CrMo	280	80	38,66	
42CrMo	280	145	70,08	
42CrMo	280	160	77,33	
42CrMo	280	60	29	
42CrMo	280	120	58	
42CrMo	285	386	193,29	
42CrMo	285	372	186,28	
42CrMo	285	384	192,29	

Laatu	Koko	Määrä /mm	Kilot	Muuta
42CrMo	285	384	192,29	
42CrMo	285	135	67,6	
42CrMo	285	240	120,18	
42CrMo	285	299	149,72	
42CrMo	285	400	200,3	
42CrMo	285	347	173,76	
42CrMo	285	342	171,26	
42CrMo	290	118	61,18	
42CrMo	290	125	64,8	
42CrMo	290	120	62,21	
42CrMo	290	130	67,4	
42CrMo	290	130	67,4	
42CrMo	290	80	41,47	
42CrMo	290	110	57,03	
42CrMo	300	135	413,36	
42CrMo	300	147	74,09	
42CrMo	300	150	119,29	
42CrMo	300	175	81,56	
42CrMo	300	215	230,26	
42CrMo	300	230	375,08	
42CrMo	300	230	491,04	
42CrMo	300	362	421,68	
42CrMo	300	78	43,28	
42CrMo	300	290	160,91	
42CrMo	300	370	205	
42CrMo	300	362	200,86	
42CrMo	300	215	119,29	
42CrMo	300	220	122,07	
42CrMo	300	325	180,33	
42CrMo	300	225	124,84	
42CrMo	305	227	130,18	
42CrMo	305	165		
42CrMo	305	130		
42CrMo	305	185	106	
42CrMo	305	230	131,9	
42CrMo	305	175	100	
42CrMo	305	180	103,23	
42CrMo	305	215	123,3	
42CrMo	305	105	60,22	
42CrMo	305	175	100	
42CrMo	305	220	126,16	
42CrMo	305	230	131,9	
42CrMo	305	170	97,49	
42CrMo	305	155	88,89	
42CrMo	310	245	145,15	
42CrMo	310	84	49,76	
42CrMo	335	163	112,77	
42CrMo	335	210	145,29	

Laatu	Koko	Määrä /mm	Kilot	Muuta
42CrMo	345	162	118,87	
42CrMo	345	145	106,4	
42CrMo	345	155	113,73	
42CrMo	345	185	135,75	
42CrMo	345	132	96,86	
42CrMo	345	146	107,13	
42CrMo	345	132	96,86	
42CrMo	345	146	107,13	
42CrMo	345	146	107,13	
42CrMo	345	146	107,13	
42CrMo	345	146	107,13	
42CrMo	345	116	85,11	
42CrMo	345	165	121,07	
42CrMo	350	155	117	REIKÄ KESKELLÄ
42CrMo	350	245	185,03	
42CrMo	360	92	73,5	
42CrMo	370	60	50,63	
42CrMo	370	95	80,18	
42CrMo	370	150	126,6	
42CrMo	370	90	75,96	
42CrMo	370	115	97	
42CrMo	370	120	101	
42CrMo	370	97	81,86	
42CrMo	400	110	108,5	
42CrMo	400	162	159,8	
42CrMo	400	68	67,07	
42CrMo	400	117	115,4	
42CrMo	400	110	108,5	
42CrMo	400	180	177,55	
42CrMo	400	77	303,81	4 kpl,yht.paino
42CrMo	400	135	133,64	
42CrMo	400	100	98,64	
42CrMo	400	235	231	
42CrMo	400	104	102,59	104-110MM
42CrMo	410	160	165,81	
42CrMo	410	130	134,7	REIKÄ OTETTU HUOM.
42CrMo	430	174	198,34	
42CrMo	450	125	156	55M KESKIÖ REIKÄ
42CrMo	450	130	162,29	
42CrMo	450	73	91,13	reikä keskellä
42CrMo	450	195	243,44	
42CrMo	450	83	103,61	
42CrMo	450	100	124,84	
42CrMo	450	200	249,68	
42CrMo	450	102	127,34	L=102-106MM
42CrMo	470	230	313,23	

Laatu	Koko	Määrä /mm	Kilot	Muuta
42CrMo	470	138	187,93	
42CrMo	500	106	136,37	
42CrMo	520	195	325,06	
42CrMo	530	132	228,59	
42CrMo	600	183	406,18	
ST52-	220	214	63,85	
ST52-	350	265	200	
ST52-	381	290	258,17	
ST52-	400	173	170,65	
ST52-	400	105	103,57	
ST52-	400	132	130,2	
ST52-	430	180	205	
AP267x40	267x40	190	42,55	
AP273X40	273X40	145	33,34	
AP329,9x40	329,9x40	350	100,12	
AP355,6x16	355,16x16	137	183,58	10 kpl, yht.paino
AP355,6x16	355,6x16	275	36,85	
AP457x12,5	457x12,5	358	49,06	
AP508x11	508x11	229	30,87	